

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION


COMPARATIVE STATEMENT :


1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender of IT Equipment for City / Jinnah Campus, KSK, UHS 4014
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 17


Sr #	Items with specifications	Bidder Name																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
		M/s Comm Tel System	M/s Allied Trader	M/s Suntech Business	M/s All in One IT Solution	M/s Futureage Computer	M/s Computer Point	M/s Outstart Tech	M/s Megaplus Pak	M/s Awais International	M/s Hafiz Brother	M/s Unity Solution	M/s Generation Systems	M/s DWP Technology	M/s Kun Traders	M/s Advance Communication	M/s Makki Madni	M/s Anadigi
1	Upload Copy of valid CNIC of authorized person	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2	Upload Copy of NTN /GST of company	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	Upload Copy of Professional Tax of Company	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	Upload copy of documents Registered with Tax Department(s): Declaration issued by Tax Department, Registration with tax department / Tax Returns/ Tax paid / Active tax payer status in FBR record	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	Upload Copy of Bank Guarantees / CDR / PO per Bid Security and submit original in finance department of UHS on or before closing date and time	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6	Upload copy of Bank Account Maintenance: Fresh Certificate issued by bank that the account is being maintained since when and the title of account is what.	✓	✓	✓	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7	Last 01-year bank account statement	✓	✓	✓	✓	✓	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8	Upload copy of Undertaking on Stamp Paper for non-blacklisting	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
9	Upload copy of bid document of UHS with each page signed and stamped	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
10	Upload copy of a valid authorization certificate from the primary / principle manufacturer is required. If the evidence of manufacturing is provided by the manufacturer, it should be included as well (if required)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
11	Upload copy of Portfolio of Firm (supporting documents should be attached)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
12	Experience of Supplying / Dealing with subject items, Bidder should be in relevant business from last one year	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
13	Details of Businesses with Govt. Departments / other reputed firms, Total No. of tenders / transactions along with total financial value shall be mentioned. The Bidder shall be submitted minimum three (3) purchase/work orders	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓


It is hereby confirmed that all bids were evaluated against the laid specifications, eligibility criteria and found **16** Bid(s) qualified. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.


TECHNICAL COMMITTEE:
 Technical committee met on 18-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


Faisal Amin
 End User
 Director Information Technology
 University of Health Sciences
 Lahore


Technical Officer (SHC&ME)
 Member


Muzaffar Iqbal
 Member


Dr. Saba Khaliq
 Co-Convenor


Prof. Uruj Zehra
 Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

- 1. Name of Procuring Agency: University of Health Sciences Lahore
- 2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
- 3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
- 4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
- 5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
- 6. No. of bids received: 12

Lot #	Items	Specifications	Qty	Bidder Name											
				1	2	3	4	5	6	7	8	9	10	11	12
1	Branded Desktop Computer with UPS	Processor: - Core i5-14400 (14 th Generation), RAM: - 16GB (2x8GB), DDR-5, Storage: - 512GB M.2 PCIe NVMe SSD, Ports: - Gigabit LAN, Wi-Fi connectivity, USB 2.0, USB 3.2, 19.5" LED Monitor, USB Keyboard & Optical Mouse, UPS 650VA Line interactive with dry battery. *The quoted brand must be among the top five (05) selling brands as per the latest Gartner/IDC report	47	Qualified/Responsive Lenovo ThinkCenter Neo 50t G5, Ci5-14400, 14th Gen, 16GB RAM, 512 SSD Hard Disc Vertiv Liebert UPS PSA650 SOHO Line interactive with dry battery	Qualified/Responsive HP ProDesk 280 G9 14th Generation Core i7-14700 16 GB DDR5, 512GB SSD Vertiv 650VA Line with dry battery	Qualified/Responsive Lenovo Neo 50T Ci5-14400, 14th Gen, 16GB RAM, 512 SSD Hard Disc Vertiv VT-UPS-PSA650 SOHO Line interactive with dry battery	Not Qualified/Non-Responsive (Due to non submission of mandatory documents)	Qualified/Responsive Lenovo TC Neo 50T G5 Desktop Ci5-14400, 14th Gen, 16GB RAM, 512 SSD Hard Disc Attom 650VA UPS with built-in batteries	Qualified/Responsive Lenovo ThinkCentre Neo 50t G5 Core i5-14400 14th Gen 16GB, DDR-5 512GB-SSD Aurora UPS Blazer vista 650VA Interactive with dry battery	Qualified/Responsive Lenovo Neo 50T G5 14th Gen Computer PC, Core i5-14400 16GB, DDR-5, 512GB-SSD UPS Vertiv SOHO 650VA Line Interactive with dry battery	Not Qualified/Non-Responsive (Due to Less quoted qty in Technical)	Qualified/Responsive Lenovo China ThinkCentre Neo 50t G5 Core i5-14400 14th Gen 16GB (8+8) DDR-5 512GB-SSD EcoStar China, XLI-650B with dry battery 95x160x330mm	Qualified/Responsive Dell Vostro (3030) Core i5-14400, (14th Generation) 16GB DDR-5-512GB-SSD Vertiv UPS PSA650-SOHO with dry battery	Qualified/Responsive Dell Vostro (3030) Core i5-14400, (14th Generation) 16GB DDR-5-512GB-SSD Smartpower 650va UPS	Qualified/Responsive Dell Optiplex 7020 Ci5 14th Generation i5-14400-14th G, 16GB DDR5, 512GB-SSD Vertiv 650VA UPS with Interactive Battery

Responsive / Qualified Bidders		Non-Responsive / non-Qualified
M/s Comm Tel System	M/s Futureage Computer	M/s Outstart Tech
M/s Awais International	M/s Computer Point	M/s Generation System
M/s Hafiz Brothers	M/s Megaplus	
M/s Kun Traders	M/s DWP Technology	
M/s Anadigi	M/s Advance Communication	

TECHNICAL COMMITTEE:
 Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

End User
 Co-Opted (Member)
 Information Technology
 University of Health Sciences
 Lahore

Technical Officer (SHC&ME)
 Member

Muzaffar Iqbal
 Member

Dr. Saba Khaliq
 Co-Convener

Prof. Uruj Zehra
 Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 04

Lot#	Items	Specifications	Qty	Bidder Name			
				1	2	3	4
2	Laptops	13th Gen. Core i7 13700H Raptor Lake, Processor, RAM 16GB, Storage 512GB SSD, Intel Iris Xe Graphics, Wi-Fi, Bluetooth, USB ports, 16" WUXGA (1920x1200) Screen size	6	M/s Futureage Computer Qualified/Responsive Lenovo ThinkBook 16 G7 Intel Core Ultra 7-155H 16 GB (2x8) DDR4 Storage 512 GB SSD	M/s Awais International Qualified/Responsive Lenovo THINKBOOK 16 G7 IML Intel Core Ultra 7 155H Processor RAM 16GB DDR5, 512GB SSD (China)	M/s Generation Systems Qualified/Responsive Lenovo THINKPAD E16 G1 13th Gen Core i-7 13700H Raptor Lake Processor RAM 16GB DDR5, 512GB SSD	M/s Advance Communication Qualified/Responsive Lenovo ThinkPad E16 G1 Core-i7 13700H Processor RAM 16 GB Storage 512GB SSD

Responsive / Qualified Bidders	Non-Responsive / non-Qualified Bidders
M/s Awais International	
M/s Generation System	
M/s Futureage Computer	
M/s Advance Communications	

TECHNICAL COMMITTEE:

Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

Faisal Amin
Director In-charge
University of Health Sciences
Lahore
End User
Co-Opted (Member)

Technical Officer (SHC&ME)
Member

Muzaffar Iqbal
Member

Dr. Saba Khaliq
Co-Convener

Prof. Urj Zehra
Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 08

Lot#	Items	Specifications	Qty	Bidder Name							
				1	2	3	4	5	6	7	8
				M/s Comm Tel System	M/s Allied Trader	M/s Suntech Business	M/s Futureage Computer	M/s Hafiz Brother	M/s Generation Systems	M/s Kun Traders	M/s Advance Communication
3	Medium Duty Printer	HP Laserjet Pro 4003dn Printer or Equivalent, Printer Speed: Up to 40 ppm (A4), Resolution: Up to 1200 x 1200 dpi, Processor: 1200 MHZ, Memory: 256MB, Duplex Printer: Automatic two-sided Monthly Duty Cycle: Up to 80,000 pages, Connectivity: Gigabit Ethernet	3	Qualified/ Responsive HP Laserjet Pro 4003dn with standard accessories including 1 year warranty	Qualified/ Responsive HP/4003DN	Qualified/ Responsive HP Laserjet Pro 4003DN	Qualified/ Responsive HP Laserjet Pro 4003dn	Qualified/ Responsive HP Laserjet Pro 4003dn	Qualified/ Responsive HP Laserjet Pro 4003dn	Qualified/ Responsive HP Laserjet Pro 4003dn USA	Qualified/ Responsive HP Laserjet Pro 4003dn
	Scanner	HP ScanJet Pro 2600f1 OR Equivalent, Flatbed with an integrated Automatic Document Feeder (ADF). Up to 25 pages per minute or 50 images per minute in duplex mode, Up to 1,500 pages per day/ duty cycle, Up to 1200 dpi Optical Resolution	1	Qualified/ Responsive HP ScanJet Pro 2600f1 with standard accessories including 1 year warranty	Qualified/ Responsive HP/ ScanJet Pro 2600F1	Qualified/ Responsive HP ScanJet Pro 2600f1	Qualified/ Responsive HP ScanJet Pro 2600f1	Qualified/ Responsive HP ScanJet Pro 2600f1	Qualified/ Responsive HP ScanJet Pro 2600f1	Qualified/ Responsive HP ScanJet Pro 2600f1 USA	Qualified/ Responsive HP ScanJet Pro 2600f1

Responsive / Qualified Bidders	Non-Responsive / non-Qualified Bidders
M/s Comm Tel System	
M/s Allied Trader	
M/s Hafiz Brother	
M/s Generation Systems	
M/s Kun Traders	
M/s Suntech Business	
M/s Futureage Computer	
M/s Advance Communication	

TECHNICAL COMMITTEE:

Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

Faisal Amin
Director Information Technology
University of Health Sciences
Lahore

End User
Co-Opted (Member)

Technical Officer (SHC&ME)
Member

Muzaffar Iqbal
Member

Dr. Saba Khaliq
Co-Convener

Prof. Uruj Zehra
Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :


1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 08

Lot#	Items	Specifications	Qty	Bidder Name							
				1	2	3	4	5	6	7	8
				M/s Comm Tel System	M/s Allied Trader	M/s Suntech Business	M/s Hafiz Brother	M/s Unity Solution	M/s Generation Systems	M/s Kun Traders	M/s Makki Madni
4	SSD Storage Drives	512 GB SATA 2.5" SSD	217	Qualified/ Responsive Hikvision Hiksemi Waves Series	Qualified/ Responsive Hikvision	Qualified/ Responsive Hiksemi Waves	Qualified/ Responsive Black Coper (Taiwan)	Not Qualified/Non-Responsive (on Technical basis due to specification)	Qualified/ Responsive ADATA SU-650	Qualified/ Responsive DAHUA DHI-SSD-C800A (China)	Qualified/ Responsive KingSpec (China)


Responsive / Qualified Bidders	Non-Responsive / non-qualified Bidder
M/s Comm Tel System	M/s Unity Solution
M/s Allied Trader	
M/s Suntech Business	
M/s Hafiz Brother	
M/s Generation System	
M/s Kun Traders	
M/s Makki Madni Enterprises	


TECHNICAL COMMITTEE:


Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


Faisal Amin
End User
Director of Information Technology
University of Health Sciences
Lahore


Technical Officer (SHC&ME)
Member


Muzaffar Iqbal
Member


Dr. Saba Khaliq
Co-Convener


Prof. Uruj Zehra
Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 06

Lot#	Items	Specifications	Qty	Bidder Name					
				1	2	3	4	5	6
				M/s Comm Tel System	M/s Allied Trader	M/s Suntech Business	M/s All in One IT Solution	M/s Generation Systems	M/s Makki Madni
5	LED Screen	27" FHD IPS Monitor	6	Qualified/ Responsive Lenovo L27i-40 (China)	Qualified/ Responsive MSI-MP273U	Qualified/ Responsive Samsung LS27C310EAMX ZN	Qualified/ Responsive Samsung LS27C310 (Korea)	Qualified/ Responsive Samsung LS27C310	Qualified/ Responsive Dell China
	4K UHD LED	65" 4K UHD LED with Android TV including stand/mounting bracket and standard accessories	1	Qualified/ Responsive PEL PLD-65US (Pak)	Qualified/ Responsive NOBEL / 65-DF10	Qualified/ Responsive Multynet 65QA9	Qualified/ Responsive TCL LED 65P6K (China)	Qualified/ Responsive TCL LED 65V6B	Qualified/ Responsive TCL /ECOSTAR China


Responsive / Qualified Bidders	Non-Responsive / non-Qualified
M/s Comm Tel System	
M/s Allied Trader	
M/s SunTech Business	
M/s All in One IT Solution	
M/s Generation System	
M/s Makki Madni Enterprises	

TECHNICAL COMMITTEE:


Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


Faisal Amin
Director, Information Technology
University of Health Sciences
Lahore

End User
Co-Opted (Member)


Technical Officer (SHC&ME)
Member


Muzaffar Iqbal
Member


Dr. Saba Khaliq
Co-Convener


Prof. Uruj Zehra
Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 03

Lot#	Items with specifications	Specifications	Qty	Bidder Name		
				1	2	3
				M/s Allied Trader	M/s Kun Traders	M/s Makki Madni
6	RAM	8- GB DDR-4 3200 MHz	70	Qualified/Responsive China / DDR-4	Not Qualified/Not Responsive (on Technical basis due to non submission of sample of quoted items) Dauha -DHI-DDR-C300	Qualified/Responsive Lexar / Adata China / Taiwan
	RAM	8- GB DDR-3 2400 MHz	30	Qualified/Responsive China / DDR-3	Not Qualified/Not Responsive (on Technical basis due to non submission of sample of quoted items) Dauha -DHI-DDR-C300	Qualified/Responsive Branded China / Taiwan

Responsive/Qualified bidder(s)	Non-Responsive/non-Qualified
M/s Allied Traders	M/s Kun Traders
M/s Makki Madni Enterprises	

TECHNICAL COMMITTEE:

Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

Faisal Qaim
Director Information Technology
University of Health Sciences

End User
Co-Opted (Member)

Technical Officer (SHC&ME)
Member

Muzaffar Iqbal
Member

Dr. Saba Khaliq
Co-Convener

Prof. Uruj Zehra
Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 01

Lot#	Items with specifications	Specifications	Qty	1
				M/s Unity Solution
7	Firewall	Sophos Firewall XGS128 including dual power supplies/adapters with standard protection license for 12 months	1	Qualified/ Responsive Firewall (License) Sophos, Abingdon XGS 128 UK W*H*D 320 x 44 x 212 mm Firewall (License) Sophos, Abingdon XGS 128 UK Software


Responsive / Qualified Bidder(s)	Non-Responsive / non-Qualified Bidder (s)
M/s Unity Solution	


TECHNICAL COMMITTEE:


Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

Faisal Amin
 Director Information Technology
 University of Health Sciences
 Lahore
End User
 Co-Opted (Member)


Technical Officer (SHC&ME)
 Member


Muzaffar Iqbal
 Member


Dr. Saba Khaliq
 Co-Convener


Prof. Uruj Zehra
 Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 02

Lot#	Items	Specifications	Qty	1	2
				M/s Allied Trader	M/s All in One IT Solution
8	POE Switch	24 Port Gigabit POE switch	1	Qualified/ Responsive Tp-Link / TL SG1428PE	Qualified/ Responsive DLSW-DGS-F1024P (D-Link 24 port 10/100/1000 Unmanaged Long Range 250m PoE + Switch with 24 PoE ports 2 Gigabit SFP ports with 1 year warranty
	Wi-Fie Router	Wi-Fi Router, TP-Link Archer C80 AC1900, Wireless MU-MIMO Wi-Fi 5 Router OR Equivalent, Gigabit Ports (01 WAN, 04 LAN)	1	Qualified/ Responsive Tp-Link / C80	Qualified/ Responsive TP-LINK Archer AX23 AX1800 Dual-Band Wi-Fi 6 RouterSPEED: 574 Mbps at 2.4 GHz + 1201 Mbps at 5 GHzSPEC:

Responsive / Qualified Bidder(s)	Non-Responsive / non-Qualified Bidder(s)
M/s Allied Traders	
M/s All in One IT Solution	

TECHNICAL COMMITTEE:


Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

Faisal Amin
Director Information Technology
University of Health Sciences
Lahore
End User
Co-Opted (Member)


Technical Officer (SHC&ME)
Member


Muzaffar Iqbal
Member


Dr. Saba Khaliq
Co-Convener


Prof. Uruj Zehra
Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender For Procurement Of It Equipment Fy 2024-2025 For It Dept, International Linkages, Bio Medica Office & Medical Journalism Dept, Finance Dept, Media And Publication Dept, UHS
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 04

Lot#	Items	Specifications	Qty	Bidder Name			
				1	2	3	4
				M/s Allied Trader	M/s Suntech Business	M/s All in One IT Solution	M/s Unity Solution
9	Cable Roll	Cat 06 Cable Roll Pure Copper Roll 305 Meter with RJ 45 Connectors Box	1	Qualified/ Responsive D-Link Roll / with RJ45 Connectors Box	Qualified/ Responsive DLINK AWG 24 Dlink RJ45 Connector	Qualified/ Responsive DLCBL-NCBC6UGRYR24 D- Link 24AWG Taiwan DLACC-NPG-C61TRA501 DLINK RJ45 Connector	Qualified/ Responsive D-Link Taiwan and China NCB-C6UGRYR-305-24 NPG-C61TRA501-100

Responsive / Qualified Bidders	Non-Responsive / non-Qualified Bidders
M/s Allied Trader	
M/s Suntech Business	
M/s All in One IT Solution	
M/s Unity Solution	

TECHNICAL COMMITTEE:

Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

Faisal Amin
Director, Information Technology
University of Health Sciences
Lahore

End User
Co-Opted (Member)

Technical Officer (SHC&ME)
Member

Muzaffar Iqbal
Member

Dr. Saba Khaliq
Co-Convener

Prof. Uruj Zehra
Convener

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :


1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender of IT Equipment for City / Jinnah Campus, KSK, UHS 4014
4. Date & Time of Bid Closing: 18-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-04-2025 - 03:30 PM
6. No. of bids received: 01

Lot#	Items with specifications	Specifications	Qty	1
				M/s Allied Trader
10	Creater Combo	OSMO Pocket 3 (Compact and versatile creator COMBO) Specification: GENERAL:, Number of Microphones: 03, Touchscreen; Size: 2.0 inches,Resolution: 314x556, Brightness: 700 units, Supported SD Cards: MicroSD (up to 512GB), GIMBAL: Controllable Range: Pan:-235 to 58, Tilt: -120 to 70, Roll: -45 to 45, Mechanical Range: Pan: -240 to 63, Tilt: -180 to 98, Roll:220 to 63, Max Controllable Speed: 180.0/s, Angular Vibration Range: +-0.005, CAMERA: Sensor:1-Inch CMOS, Lens: Format Equivalent: 20 mm,Aperture: f/2.0, Focus Range: 0.2 m to ∞ISO Range: Photo: 50-6400, Video: 50-6400, Low-Light Video: 50-16000, Slow Motion: 50-6400,Electronic Shutter Speed: Photo: 1/8000-1s, Video: 1/8000 s to the limit of frames per second, Max Image Size: 16:9, 3840 x 2160, 1:1,3072 x 3072, Zoom: Digital Zoom, Photo: 3840 x 2160, 2x, UVC &Livestream: 1080p, 4x, Slow Motion/ Timelapse: Not available,Still Photography Modes:Single Shot:Approx, 9.4 MP, Countdown: Off/3/5/7 s,Panorama: 180, 3x3, Normal Video: 4k (16:9): 3840x2160@24/25/30/48/50/60fps 2.7K(16:9):2688x1512@24/25/30/48/50/60fps1080p (16:9): 1920x3072@24/25/30/48/50/60fps 2160p (1:1): 2160x2160@24/25/30/48/50/60fps 3K (9:16): 1728x3072@24/25/30/48/50/60fps 2.7K (9:16):1512x2688@24/25/30/48/50/60fps 1080p (9:16): 1080x1920@24/25/30/48/50/60fps, Video Format: MP4 (H.264/HEVC), Built-in Storage Capacity: The Camera does not have built-in storage, but storage capacity can be expanded by inserting a microSD card. Audio Output: 48 kHz 16-bit; AAC, Battery Type: LiPo, Capacity: 1300 mAh,Operating Time: 166 mins, Charging Time: 16 mins to 80%;32 mins to 100%	1	Dji / OSMO Pocket 3 (Combo)


Responsive / Qualified Bidder(s)	Non-Responsive / non-Qualified Bidder(s)
M/s Allied Trader	


TECHNICAL COMMITTEE:


Technical committee met on 13-5-25 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User.All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


 Director Media and Communications
 End User
 Co-Opted (Member)


 Technical Officer (SHC&ME)
 Member


 Muzaffar Iqbal
 Member


 Dr. Saba Khaliq
 Co-Convener


 Prof. Uruj Zehra
 Convener