

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Framework Contract for the repair of Photocopiers of University of Health Sciences, Lahore for the Financial Year 2024-25.
4. Date & Time of Bid Closing: 29-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 29-04-2025 - 03:30 PM
6. No. of bids received: 02

Sr #	Items with specifications		
	Bidder Name	M/S Office	M/S Canotech Private Limited
	Bidder Name	Automation Group	
1	Copy of NTN /GST duly attested by authorized person.	✓	✓
2	Copy of Professional Tax duly attested by authorized person.	✓	✓
3	Registered with Tax Department(s): Declaration issued by Tax Department, Registration with tax department / Tax Returns/ Tax paid / Active tax payer status in FBR record.	✓	✓
4	Copy of Bank Guarantees / CDR / B.C per Bid Security.	✓	✓
5	Bank Account Maintenance: Fresh Certificate issued by bank that the account is being maintained since when and the title of account is what	✓	✓
6	last 01 year bank account statement	✓	✓
7	Undertaking on Stamp Paper for non-blacklisting from UHS and PPRA.	✓	✓
8	A copy of a valid authorization certificate from the primary / principle manufacturer is required. If the evidence of manufacturing is provided by the manufacturer, it should be included as well.	✓	✓
9	A copy of signed and Stamped bid documents must be uploaded	✓	✓
10	Portfolio of Firm (supporting documents should be attached)	✓	✓
11	The Bidder should be in relevant business from last one year.	✓	✓
12	Total No. of tenders / transactions along with total financial value shall be mentioned. The Bidder shall be submitted minimum three (3) purchase/work orders.	✓	✓

Sr #	Items with specifications		
	Bidder Name	M/S Office	Automation Group M/S Canotech P.S. Limited
	1	1	
	Bidder Name	1	

It is hereby confirmed that all bids were evaluated against the laid specifications and found 01 Bid qualified according to eligibility Criteria. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.

TECHNICAL COMMITTEE:

13.05.2005

Technical committee met on _____ to consider the Technical Evaluation Report following single stage one envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPR Rules 2014 (Amended).

Faisal Amjad
End User
Director Information Technology
University of Peshawar
Co-Opted (Member)
Labor

Technical Officer(SHC&ME)
Member
[Signature]

Muzaffar Iqbal
Member
[Signature]

Dr. Saba Khalid
Co-Convenor
[Signature]

Dr. Uruf Zehra
Convenor
[Signature]

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRa Rules 2014 (amended)
3. Title of Procurement: Framework Contract for the repair of Photocopiers of University of Health Sciences, Lahore for the Financial Year 2024-25.
4. Date & Time of Bid Closing: 29-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 29-04-2025 - 03:30 PM
6. No. of bids received: 01 (in Lot-A)

Sr #	Required Item(s)	Specifications	Qty / Job	Bidders Name
				1
				M/s Office Automation Group

LOT - A - FRAMEWORK CONTRACT FOR REPAIR OF PHOTOCOPIERS OF KONICA MINOLTA				
1	Konica Minolta Bizhub 1250	Drum Dr-012	1	Applied (Original)
		Drum Cleaning Blade	2	Applied (Original)
		Charge Grid Plate	1	Applied (Original)
2	Konica Minolta Bizhub 454e	Drum Unit	2	Applied (Original)
		Fusing Unit	1	Applied (Original)
3	Konica Minolta Bizhub C458	Try II Lock	1	Applied (Original)
				Qualified / Responsive

Qualified / Responsive Bidder(s)	Non-Qualified / Non-Responsive Bidder(s)
	-

TECHNICAL COMMITTEE:

13.05.2025

Technical committee met on _____ to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRa Rules 2014 (Amended).

End User
Co-Opted (Member)
Technical Officer(SHC&ME)
Member
Member
Co-Convener
Convener

Dr. Saba Khalid
Dr. Urui Zehra

Director Information Technology
University of Health Sciences
Lahore

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPR Rules 2014 (amended)
3. Title of Procurement: Framework Contract for the repair of Photocopiers of University of Health Sciences, Lahore for the Financial Year 2024-25.
4. Date & Time of Bid Closing: 29-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 29-04-2025 - 03:30 PM
6. No. of bids received: 01 (in Lot-B)

Sr #	Required Item(s)	Specifications	Qty / Job	Bidders Name
				M/s Canotech Private Limited
				1

LOT – B - FRAMEWORK CONTRACT FOR REPAIR OF PHOTOCOPIERS OF KYOCERA TASKALFA

1	Kyocera Taskalfa 7003i	Drum DK-6720	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Developer DV-6720	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Fuser FK-6722	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Main Charge Unit 6720	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Drum Cleaning Blade	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Belt Assy	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Filter left Side	2	China TA7003i (Origin Japan)	Qualified / Responsive
		Pulley Feed	8	China TA7003i (Origin Japan)	Qualified / Responsive
		Pulley Retard	4	China TA7003i (Origin Japan)	Qualified / Responsive
		Filter Top	3	China TA7003i (Origin Japan)	Qualified / Responsive
		Disposal Unit	1	China TA7003i (Origin Japan)	Qualified / Responsive
		Drum DK-8550	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Developer DV-8550K	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Fuser FK-8550	1	China TA6003i (Origin Japan)	Qualified / Responsive
2	Kyocera Taskalfa 6003i	Transfer Belt Unit TR-6500	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Drum Cleaning Blade	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Roller Secondary Transfer Assy	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Fuser Drive Gear	2	China TA6003i (Origin Japan)	Qualified / Responsive

Sr #	Required Item(s)	Specifications	Qty / Job	M/s Canotech Private Limited	
				Bidders Name	
				1	
2	Kyocera Taskalfa 6003i	Pulley Feed	2	China TA6003i (Origin Japan)	Qualified / Responsive
		Retard Roller Assy	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Roller Retard Assy	2	China TA6003i (Origin Japan)	Qualified / Responsive
		Filter Top	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Filter Rear Lower	1	China TA6003i (Origin Japan)	Qualified / Responsive
		Waste Box	1	China TA6003i (Origin Japan)	Qualified / Responsive
		MC Unit	1	China TA6003i (Origin Japan)	Qualified / Responsive
3	Kyocera Taskalfa 5002i	Drum DK-8550	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Developer DV-8550K	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Fuser FK-8550	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Transfer Belt Unit TR-6500	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Drum Cleaning Blade	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Roller Secondary Transfer Assy	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Fuser Drive Gear	2	China TA5002i (Origin Japan)	Qualified / Responsive
		Pulley Feed	2	China TA5002i (Origin Japan)	Qualified / Responsive
		Retard Roller Assy	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Roller Retard Assy	2	China TA5002i (Origin Japan)	Qualified / Responsive
		Filter Top	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Filter Rear Lower	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Waste Box	1	China TA5002i (Origin Japan)	Qualified / Responsive
		MC Unit	1	China TA5002i (Origin Japan)	Qualified / Responsive
		Drum DK-6306	1	China TA4501i (Origin Japan)	Qualified / Responsive
		Developer DV-6305	1	China TA4501i (Origin Japan)	Qualified / Responsive
		Fuser FK-6307	1	China TA4501i (Origin Japan)	Qualified / Responsive
		Main Charge Unit 6705	1	China TA4501i (Origin Japan)	Qualified / Responsive
		Drum Cleaning Blade	1	China TA4501i (Origin Japan)	Qualified / Responsive
		Belt Assy	1	China TA4501i (Origin Japan)	Qualified / Responsive

#	Required Item(s)	Specifications	Qty / Job
4	Kyocera Taskalfa 4501i	Filter left side Drum PCR Filter Top Disposal Unit Separation Claws Fuser Roller Paper Feed Roller Set	1 1 1 1 6 1 2
Bidders Name	M/s Canotech Private Limited		
1			

TECHNICAL COMMITTEE: 13.05.2025

End User

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRa Rules 2014 (amended)
3. Title of Procurement: Framework Contract for the repair of Photocopiers of University of Health Sciences, Lahore for the Financial Year 2024-25.
4. Date & Time of Bid Closing: 29-04-2025 - 03:00 PM
5. Date & Time of Bid Opening: 29-04-2025 - 03:30 PM
6. No. of bids received: 0 (in Lot-C)

Sr #	Required Item(s)	Specifications	Qty / Job	Bidders Name
				1
				No one participated

LOT - C - FRAMEWORK CONTRACT FOR REPAIR OF PHOTOCOPIERS OF TOSHIBA E-STUDIO

Qualified / Responsive Bidder(s)		Non-Qualified / Non-Responsive Bidder(s)	
2	Toshiba E-Studio 2303A	Developer Tank Gear Belt Set	1 No.
		Heat Roller Upper-Set	1 No.
		Feeding Roller Set	1 No.
		Cleaning Blade	1 No.
		Developer	1 No.
		Scanner Unit	1 No.
		Drum	1 No.
		Developer Tank Gear Belt Set	1 No.
1	Toshiba E-Studio 4508A	Heat Roller Upper-Set	1 No.
		Feeding Roller Set	1 No.
		Cleaning Blade	1 No.
		Recovery Blade	1 No.
		RADF Feeding Roller-Set	1 No.
		Drum	1 No.
No one participated in the Lot-C			

TECHNICAL COMMITTEE:

13.05.2025

Technical committee met on _____ to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. No bid received against Lot-C. Technical Committee recommends to process further as per PPRa Rules 2014 (Amended).

Technical Officer (SHC&ME) Member

Muzaffar Iqbal Member

Dr. Saba Khalid Co-Convenor

Dr. Urui Zahra Convenor

